


NO COMPROMISES, BUT SPACE FOR ESSENTIALS:

MUSIC

KOLBERG MAKES MORE OF YOUR MUNICIPAL HALL

Equipping a municipal hall perfectly for musical purposes can turn into a complex challenge, especially if you need to host small ensembles as well as large symphony orchestras. Adequate seating, in particular, is of increasing importance to orchestras and is often taken for granted. For this reason, the purchase of suitable equipment for musical events in your municipal hall should not be neglected.

Kolberg has long been among the leading manufacturers of orchestra equipment and percussion instruments. Our clients include almost all major German and international symphony orchestras and opera houses all over the world, as well as many cities and municipalities with municipal halls. We are musicians ourselves and work closely with our customers. Therefore we know the requirements of an orchestra with concert activity very well. That is why we are your ideal contact for all questions concerning orchestra equipment.





In order to provide you with an overview, we have compiled a basic package for you that perfectly prepares you for most musical events in your hall. The listed supplementary packages provide a quick overview of how you can extend the basic equipment according to your requirements. The transport cart package, for example, allows you to move and store your chairs and desks comfortably and conveniently.

Functional – expedient – sturdy:

We put the greatest emphasis on this. Our hands-on approach takes health-related aspects such as ergonomically correct sitting into account, as well as appropriate lighting for scores and space-saving storage. The longevity of our products is not only a sign of high quality — in the long run this first and foremost means significant cost savings for you.

Individual advice:

Of course we'll be happy to provide you with an individual offer. Simply select your preferred models from our range of chairs, music desks and conductor's stands. You can always find our extensive product range in the internet under www.kolberg.com, or request our extensive catalogue of orchestra equipment.

You would prefer to speak us personally? No problem. We'll be happy to advise you over the phone, or schedule a personal visit. You can personally test every product at our showroom of more than 1,000 square meters – an offer that is regularly taken up by customers from all over the world.





We look forward to your visit!

ABOUT US



Klaus Kolberg, managing director

All Kolberg products are manufactured by our instrument makers and craftsmen, at our own factory at our company's location in Uhingen near Stuttgart. We consequently have full control over the quality of our products, while being able to quickly respond to customers' requests. State-of-the-art machinery, including

CNC-controlled machining centres and two laser cutters, guarantee highest precision. With our commitment to Germany as our production site, we assume responsibility – for our employees and our environment. This results in top products that truly deserve the distinction "Made in Germany". All products that are distinguished by this label are produced according to the stated standards.

"Kolberg products are built to the high-est standards and satisfy our customers with longevity and top quality."

Should you ever detect a defect in your Kolberg product none the less, call us:
We know our products very well and can therefore determine whether a
material fault, impeding proper use, is present, for example. In such a case, the
Kolberg goodwill takes effect. This is granted beyond the statutory warranty
period of two years. Contact us, we will take your concern in hand! Because we manufacture
our products ourselves, we generally have all spare parts in stock, and can usually provide
them, even after many years. Kolberg products are crafted to the highest standards and
is convincing our clients with longevity and top quality.



We attach great importance to the use of certified wood from sustainably managed forests. Many of our products are even made from wood grown in our region. We care for the protection of the environment and we take the responsible use of resources for granted.



Company founder Bernhard Kolberg in the Nassachtal







facebook com/KolbergGermany



www.facebook.com/KolbergGermany www.instagram.com/kolbergpercussion



MUSIC SCHOOL FILUM

FILDERSTADT

"The uniform interior design of all rooms was of central importance for us. That is why we decided to use comfortable musicians' chairs, even for the hall's seating configuration. Regarding the excellent collaboration with Kolberg Percussion, I must emphasise in particular the good advice and smooth processing. We now have a perfectly equipped music school, which we can all enjoy together every day.

Maria Fiedler, principal






4,000 m² on five levels, a concert hall with eight metres ceiling height and 280 seats, a cafeteria, 22 acoustically optimised classrooms 8 to 100 m² in size and various chamber music and ensemble rooms – FILUM offers versatile development opportunities for the musical collaboration of 3,000 students and 70 teachers.

With FILUM, the architectural firm Wilford Schupp (now ORANGE BLU) designed a building where architecture and music are closely interwoven.

The design of the concert hall – the heart of FILUM – reflects the piano keyboard and its shapes, colours and materials refer to musical instruments. It offers space for 280 guests.

It was ceremonially inaugurated in December 2016.





The music school Filderstadt is a communal educational institution for children, adolescents and adults.









A special version of music chairs was created for the music school Filderstadt in collaboration with the architectural firm ORANGE BLU: a special fabric in four different colours, a wooden backrest with a colour glaze. Seating is furthermore characterised by sturdy row connectors with flexible chair numbering. Apart from normal musicians' chairs and teachers' chairs, chairs with special height for children have been created. The entire orchestra equipment was also made by Kolberg: music desks with laser engraving, conductor's desk, musicians' chairs, transport carts and a purpose-built cart for percussion instruments.

When building a music school, the orchestra equipment is obviously of particular importance. We relied on Kolberg Percussion's many years of worldwide experience. Furthermore, Kolberg chairs are very popular among musicians because of their comfort and versatile adaptability—they have been perfectly adapted to the architectural requirements of the interior design.

Kolberg Percussion was the ideal partner for this project: very good advice, quality products and on-time production.

Wilford Schupp, architect





www.orangeblu.com







SUPPLEMENTARY PACKAGES BASIC EQUIPMENT UNIVERSAL

TRANSPORT CART **PACKAGES**



The practice-oriented transport carts are easily manoeuvrable and enable convenient storage of desks and chairs. They are also usable as multi-purpose transport carts and can be stacked when not in use in order to save space.

TRANSPORT CART PACKAGE FOR CHAIRS 50

3 x 3135 Transport cart (page 38)

TRANSPORT CART PACKAGE FOR CHAIRS 70

4 x 3135 Transport cart (page 38)





Simultaneous transport of chairs and desks is possible.

TRANSPORT CART PACKAGE **FOR MUSIC STAND 50**

3 x 3135 Transport cart (page 38)

TRANSPORT CART PACKAGE FOR MUSIC STAND 70

4 x 3135 Transport cart (page 38)



The illustration shows the variant with wooden desks



PACKAGE LASER ENGRAVING



EFFECTIVE THEFT PROTECTION At our laser engraving centre, we are able to irreversibly mark your desks with the name of your property.

The advantage: Reinforcement of your brand and effective advertising for your establishment. Passive theft protection is a welcome side effect: Nobody steals a desk that carries an engraving showing its origin. Laser engraving of desks is only possible for new orders.

PACKAGE LASER ENGRAVING 50

1 x 4220LSP Programme generation 50 x 4220LSM Laser engraving desk

PACKAGE LASER ENGRAVING 70

1 x 4220LSP Programme generation 70 x 4220LSM Laser engraving desk



PACKAGE DESK ILLUMINATION



The LED music stand lamp "Bright" (4310AH) is convincing with a sturdy construction and reaches high brightness thanks to its 10 LEDs with up to 280 lux. Three AA batteries provide energy for the lamp for up to 15 hours.

- neutral white light with high contrast
- 10 bright and efficient LEDs, switchable to 2 brightness levels
- flexibly adjustable due to 22 cm gooseneck
- suitable for battery- and mains operation
- incl. adaptor, bag, batteries (3 x 1,5 V AA)

PACKAGE DESK ILLUMINATION 50

50 x 4310AH LED music stand lamp "Bright" (page 40)

PACKAGE DESK ILLUMINATION 70

70 x 4310AH LED music stand lamp "Bright" (page 40)

See page 41 for additional LED music stand lamps.



Product descriptions



TRAY PACKAGE

Desk trays are popular accessories for certain instrument groups, such as flutes. We therefore recommend fitting some of the desks with the desk tray 4243SW. The tray is entirely made of steel and thus extremely stolid, break-proof and resistant. The surface is covered with thick, anthracite-coloured needle felt.

TRAY PACKAGE 50

15 x 4243SW Music stand tray, metal (page 31)

TRAY PACKAGE 70

20 x 4243SW Music stand tray, metal (page 31)





SUPPLEMENTARY PACKAGES FOR BASIC EQUIPMENT COMPACT

TRANSPORT CART PACKAGE - FOR PARTICULARLY COMPACT STORAGE

If you have limited storage space, you'll do well with the transport cart package. On an area of only 6.5 m², you can perfectly store the basic equipment compact 50.

TRANSPORT CART PACKAGE COMPACT 50

3 x 3135 Transport cart for orchestra chairs (page 38) 1 x 4224W Transport- and storage cart (page 38)

TRANSPORT CART PACKAGE COMPACT 70

4 x 3135 Transport cart for orchestra chairs (page 38) 1 x 4224W Transport- and storage cart (page 38)

4224W Transport- and storage cart

Sturdy compact aluminium transport and storage cart, accommodating up to 75 stackable model 4224 music stands in three levels. With a surface area of less than one square meter, this cart offers a space-saving possibility for storage and transportation of music stands! On request the cart can be adapted to the user's specific requirements (e.g. lifts). A two-level variant is also possible (height with music stands: 120 cm). Two brake swivel casters and two fixed rollers enable smooth movement as well as secure locking in position of the cart. On request the cart can also be provided with four brake swivel casters.





RECOMMENDATION

ONLY FOR 75 DESKS







EFFECTIVE

At our laser engraving centre, we are able to irreversibly mark your desks with the name of your property.

The advantage: Reinforcement of your brand and effective advertising for your establishment. Passive theft protection is a welcome side effect: Nobody steals a desk that carries an engraving showing its origin. Laser engraving of desks is only possible for new orders.

PACKAGE LASER ENGRAVING 50

1 x 4220LSP Programme generation 50 x 4220LSM Laser engraving desk

PACKAGE LASER ENGRAVING 70

1 x 4220LSP Programme generation 70 x 4220LSM Laser engraving desk



13/AYERISCHES

PACKAGE DESK ILLUMINATION



The LED music stand lamp "Bright" (4310AH) is convincing with a sturdy construction and reaches high brightness thanks to its 10 LEDs with up to 280 lux. Three AA batteries provide energy for the lamp for up to 15 hours.

- neutral white light with high contrast
- 10 bright and efficient LEDs, switchable to 2 brightness levels
- flexibly adjustable due to 22 cm gooseneck
- suitable for battery- and mains operation
- incl. adaptor, bag, batteries (3 x 1,5 V AA)

PACKAGE DESK ILLUMINATION 50

50 x 4310AH LED music stand lamp "Bright" (page 40)

PACKAGE DESK ILLUMINATION 70

70 x 4310AH LED music stand lamp "Bright" (page 40)

See page 41 for additional LED music stand lamps.



Product descriptions

of products included in the "basic equipment COMPACT" can be found from page 26.



TRAY PACKAGE

Desk trays are popular accessories for certain instrument groups, such as flutes. We therefore recommend fitting some of the desks with the desk tray 4243SW. The tray is entirely made of steel and thus extremely stolid, break-proof and resistant. The surface is covered with thick, anthracite-coloured needle felt.

TRAY PACKAGE 50

15 x 4243SW Music stand tray, metal (page 31)

TRAY PACKAGE 70

20 x 4243SW Music stand tray, metal (page 31)





SUPPLEMENTARY PACKAGES PREMIUM EQUIPMENT

EQUIPMENT PREMIUM CLASSIC DESIGN

TRANSPORT CART **PACKAGES**

The practice-oriented transport carts are easily manoeuvrable and enable convenient storage of desks and chairs. They are also usable as multi-purpose transport carts and can be stacked when not in use in order to save space.

TRANSPORT CART PACKAGE FOR CHAIRS 50

3 x 3135 Transport cart (page 38)

TRANSPORT CART PACKAGE FOR CHAIRS 70

4 x 3135 Transport cart (page 38)

TRANSPORT CART PACKAGE FOR PREMIUM MUSIC DESKS 50

5 x 3135 Transport cart (page 38)

TRANSPORT CART PACKAGE FOR PREMIUM MUSIC DESKS 70

6 x 3135 Transport cart (page 38) 1 TRANSPORT CART FOR 12 MUSIC STANDS 4210 + 4125



1 TRANSPORT CART FOR 18 ORCHESTRA L



PACKAGE DESK ILLUMINATION

The LED music stand lamp "Bright" (4310AH) is convincing with a sturdy construction and reaches high brightness thanks to its 10 LEDs with up to 280 lux. Three AA batteries provide energy for the lamp for up to 15 hours.

PACKAGE DESK ILLUMINATION 50

50 x 4310AH LED music stand lamp "Bright" (page 40)

PACKAGE DESK ILLUMINATION 70

70 x 4310AH LED music stand lamp "Bright" (page 40)

See page 41 for additional LED music stand lamps.

TRAY PACKAGE

Desk trays are popular accessories for certain instrument groups, such as flutes. We therefore recommend fitting some of the desks with the desk

TRAY PACKAGE PREMIUM 50

15 x 4242 Music stand tray, wood (page 31)

TRAY PACKAGE PREMIUM 70

20 x 4242 Music stand tray, wood (page 31)





contact us.

MUSIC STAND 4210

WITH BASE 4125

All desks are repeatedly varnished (silk-matt neutral or silk-matt black).

Desk foot from quality steel tube, either highgloss chrome-plated, or black powder-coated.



Our music stand classics from wood are available in these designs:

common beech

natural/chrome

common beech

natural/black



black/chrome

CONDUCTOR'S MUSIC STAND 4522

Our classic conductor's music stand made of multi-ply beech wood with a solid wood shelf and large storage surface. The 2 supporting tubes and the music stand base with levelling adjustment ensure a very secure and stable stand on the stage.





Available in common beech natural, as well as in black.

www.kolberg.com 23



The Kolberg name stands for a good sitting posture.



Klaus Kolberg, managing director

Our chairs stand in the most prestigious opera houses and concert halls worldwide. Many music schools, universities and municipal halls equip their concert halls with Kolberg chairs. For a good reason: Musicians' chronic back pain and muscular tension are often the result of uneven weight distribution of the spine when seated.

A good chair should prevent posture damage with ergonomically optimal sitting. Therefore our requirement for a musician's chair is that it can be individually adjusted to any physique and any sitting position with different adjusting options. Malpositions are thus prevented and your back remains healthy. We develop our products in close collaboration with orthopaedists, physiotherapists and, naturally, professional musicians. Health and comfort are our priority.

FABRIC COVER

bility Trevira®-CS fabric:

according to UNI EN ISO 12947-2: 100.000 Martindale rubs

Abrasion resistance

(no pilling)

Light fastness

Please contact us - we'll be happy to advise you!

+49 (0) 7161 / 3005-0

GENERAL QUALITY CRITERIA OF KOLBERG CHAIRS

- the experience of 40 years of chair production flows together
- only quality components are used in production
- each chair is produced by a skilled craftsman
- no sharp edges (visible or invisible)
- the frame of the chair is made of Ø 20 mm steel tube with 2 mm material strength
- the surface is either high gloss chrome-plated, or black powder-coated
- all frames are fitted with stacking rails and black foot sliders made of black plastic

SEAT CONSTRUCTION AND BACKREST

The seat rests on an elastic rubber suspension element. The seat shell and backrest are made of sturdy, multi-ply beech wood, upholstered with quality, air-permeable furniture foam, and fitted with

The foam is 4 cm in thickness for the seat forms "F" and "S" (2.5 cm on request), and 6 cm for round

The upholstery of the backrest is 3 cm thick. It is flexibly mounted onto the back rod and thus adapts to any posture.






7176 Medium Hazard, NF D 60013 Class AM 18 Kolberg standard colours

NF 92501-7 Class M1, CRIB 5, EN 1021/1-2,

IMO Part 8 Upholstery, UNI 9175 Class 1 IM, BS



Seat and backrest are covered with a very sturdy

according to UNI EN ISO 12945-2: 5 = best mark

according to UNI EN ISO 105-B02: 6 = very good

Trevira® CS conforms to the following fire protection

norms: UNI 9174-8456 Class C1, DIN 4102 Class B1,

upholstery fabric. The fabric is made of low flamma-



* We recommend the more soil-resistant fabrics.



SEAT FORM "F" AND "S"

- · standard form "F" with rounded front edge
- · curved form "S" with rounded front edge and spine support
- rounded front edge helps prevent leg fatigue of the circulatory disorders
- the spine support prevents posture damage
- seating surface: Width x depth = 44 x 42 cm









Kolberg orchestra chairs on

You Tube

www.youtube.com/kolbergpercussio

Just speak to us. With a fabric sample, we're happy to cover your chairs with the fabric of

vour choice.

® registered trade mark (Trevira GmbH)

ORCHESTRA CHAIRS STACKABLE















3106

Orchestra chair

flexible backrest

Seat height:

48 cm = 3106-48 50 cm = 3106-5052 cm = 3106-52

Adjustment: none (fixed frame)

Seat shape: F-shaped seat (standard) S-shaped seat (optional)

Frame: high-gloss chrome-plated or black powder-coated

Stackability: up to 6 chairs, free-standing Weight: 5.8 kg



Orchestra chair with wooden frame

flexible backrest

Seat height: 48 cm = 3109-48 50 cm = 3109-50

52 cm = 3109-52

Adjustment: none (fixed frame)

Seat shape: F-shaped seat (standard) S-shaped seat (optional)

Frame: copper beech with silk-matt finish Stackability: up to 5 chairs, free-standing Weight: 5 kg

Originally designed as a special model for the "Internationale Musikschulakademie Schloss Kapfenburg", this graceful and elegant chair has since been adopted as a stylish alternative wherever a wood finish harmonises better with the ambience.

Orchestra chair with synchronised seat and backrest adjustment

flexible backrest

representation combined seat and backrest inclination

Seat height:

48 cm = 3107-48 50 cm = 3107-5052 cm = 3107-52

Adjustment: fluid, synchronised tilt of seat and backrest by an angle of up to 15°, via knurled screw.

Seat shape: F-shaped seat (standard) S-shaped seat (optional)

Frame: high-gloss chrome-plated or black powder-coated

Stackability: up to 6 chairs, free-standing Weight: 6.7 kg

3100

Orchestra chair with comfort seat

flexible backrest

riable seat inclination

right continuously variable backrest height

continuously variable backrest inclination

Seat height:

48 cm = 3100-48 50 cm = 3100-5052 cm = 3100-52

Adjustment: fluid inclination adjustment up to 20° via knurled screw

Seat shape: F-shaped seat (standard) S-shaped seat (optional)

Backrest adjustment: fluid adjustment of height via knurled screw, fluid adjustment of inclination via pneumatic mechanism with release lever.

Frame: high-gloss chrome-plated or black powder-

Stackability: up to 8 chairs, free-standing Weight: 8.5 kg

Orchestra chair with height adjustable comfort seat

flexible backrest

riable seat inclination

continuously variable backrest height

continuously variable backrest inclination

🛖 continuously variable seat height

Seat height:

approx. 48 - 53 cm

fluid height adjustment via knurled screw; other basic heights upon request

Adjustment: seat angle, backrest angle and height as in model 3100

Seat shape: F-shaped seat (standard) S-shaped seat (optional)

Frame: black powder-coated

Stackability: up to 8 chairs, free-standing

Weight: 9.7 kg

Thanks to the positive assessments made by the trade supervisory board and the German Army medical service, the music corps of the German Army have been supplied with 2.500 units of this chair model.

Orchestra chair "Comfort"

pneumatic height adjustable

flexible backrest

continuously variable seat inclination

continuously variable backrest height

continuously variable backrest inclination

continuously variable seat height

Seat height:

approx. 48 - 54 cm

fluid height adjustment via pneumatic adjustment mechanism with release lever: at least 6 chairs stackable free-standing

Adjustment: seat inclination, backrest inclination and backrest height as model 3100

Seat shape: F-shaped seat (standard)

Frame: black powder-coated

Stackability: at least 6 chairs, free-standing Weight: 10.5 kg

All adjustment options can be fully operated from a sitting position!



ADAPTER SET FOR CHAIR HIGHT

The height of the chair frame can be increased by 30, 40, 60 or 80 mm. Suitable for all orchestra chairs.



Kolberg orchestra chairs on YouTube.









Continuously adjustable



Backrest inclination The extremely broad adjustment range enables contact with the backrest even when seated at the very front edge of the chai



Backrest height fluid height adjustm





ORCHESTRA CHAIRS



Orchestra/harp chair

Seat height:

"Comfort"

42 - 55 cm

50 - 70 cm in high version 3105H

fluid height adjustment via pneumatic mechanism with release lever

Adjustment: fluid inclination adjustment up to 20° via knurled screw

Seat shape: F-shaped seat (standard)
S-shaped seat (optional)

Seat: fixed, non-swivelling

Backrest adjustment: fluid adjustment of height via knurled screw, fluid adjustment of inclination via pneumatic mechanism with release lever.

Base: five-legged base with pneumatic spring, high-gloss chrome-plated

Weight: 9.5 kg





3111 Orchestra chair "Comfort", high

Seat height:

 $50 - 70\,\text{cm}$

pneumatic continuously adjustable

Adjustment: Inclination continuously adjustable by 20° via an excentric quick-release fastener

Seat: fixed, non-swivelling

Backrest adjustment: Height continuously adjustable via a handwheel screw

Base: five-legged base with pneumatic spring, high-gloss chrome-plated

Foot rest: triangular, high-gloss chrome-plated, fluid height adjustment, swivelling

Weight: 11.5 kg



Double-bass chair "Comfort" with two adjustable foot rests

Seat height:

68 - 81 cm

73 - 93 cm in high version 3090H fluid height adjustment via pneumatic mechanism

with release lever

Adjustment: Inclination continuously adjustable by 20° via an excentric quick-release fastener

Seat shape: F-shaped seat with rounded right-hand-side front edge

Seat: fixed, non-swivelling

Backrest adjustment: fluid adjustment of height via knurled screw, fluid adjustment of inclination via pneumatic mechanism with release lever.

Base: four-legged base with pneumatic spring and two ground supports, high-gloss chrome-plated. The reinforcing ring stabilises the frame and serves as a further foot rest at the same time.

Foot rests standard: two variable foot rests, fluid height adjustment, swivelling; tread surfaces can rotate

Weight: 12.9 kg



3093

Double-bass stool, travelling model, tiered foot rest

Seat height:

72 - 85 cm

fluid height adjustment with clamping lever

Seat: non-swivelling due to keyway system, removable

Seat shape: round, Ø 30 cm

Base: four-legged base, high-gloss chrome-plated; the stabilising centre ring acts as an additional foot rest

Foot rest: threefold tiered foot rest

Stackability: without seats up to 6 frames can be stacked, free-standing

Weight: 7.7 kg





3093SI

Double-bass chair with comfort seat, travelling model, tiered foot rest

Seat height:

66 - 79 cm

79 - 92 cm in high version 3093SLH fluid height adjustment with clamping lever

Adjustment: fluid inclination adjustment up to 20° via knurled screw

Seat shape: round, Ø 38 cm

Seat: non-swivelling due to keyway system, removable

Backrest adjustment: fluid adjustment of height via knurled screw, fluid adjustment of inclination via pneumatic mechanism with release lever.

Base: four-legged base, high-gloss chrome-plated; the stabilising centre ring acts as an additional foot rest

Foot rest: threefold tiered foot rest

Stackability: without seats up to 8 frames can be stacked, free-standing

Weight: 12.1 kg



: 3110

Timpani/percussion chair "Comfort"

Seat height:

58 - 84 cm

50 - 70 cm in low version 3110N

65 - 91 cm in high version 3110H

fluid height adjustment via pneumatic adjustment mechanism with release lever

Adjustment: fluid inclination adjustment up to 20° via knurled screw

via knurled screw

Seat shape: F-shaped seat (standard)

S-shaped seat (standard) / S-shaped seat (optional)

Seat: swivelling

Backrest adjustment: fluid adjustment of height via knurled screw, fluid adjustment of inclination via pneumatic mechanism with release lever.

 $\label{eq:base:base:base} \textbf{Base:} \ \text{five-legged base with pneumatic spring,} \\ \text{high-gloss chrome-plated}$

Foot rest: triangular, high-gloss chrome-plated, fluid height adjustment, swivelling

Weight: 11.5 kg

Variant:

58 - 84 cm with full-circle foot rest Ø 43 cm 3110-F1



l457 Snike-hoard wo

Spike-board, wood

for cello and double-bassfour holes to adjust distance to chair

• the covering board can easily be replaced when worn



You can find additional spike-boards under www.kolberg.com



MUSIC STANDS



Timpani/percussion stool with foot rest, pneumatic

Seat height:

58 - 84 cm

50 - 70 cm low version 3112N

fluid height adjustment via pneumatic adjustment mechanism with release lever

Seat shape: round, Ø 38 cm

Seat: swivelling

Base: five-legged base with pneumatic spring, high-gloss chrome-plated

Foot rest: triangular, high-gloss chrome-plated, fluid height adjustment, swivelling

Weight: 8 kg



Conductor's/director's chair "Comfort"

Seat height:

58 - 84 cm

fluid height adjustment via pneumatic adjustment mechanism with release lever

Adjustment: fluid inclination adjustment up to 20° via knurled screw

Seat shape: F-shaped seat (standard) S-shaped seat (optional)

Seat: swivelling, optionally non-swivelling 3110D

Backrest adjustment: fluid adjustment of height via knurled screw, fluid adjustment of inclination via pneumatic mechanism with release lever.

Base: five-legged base with pneumatic column, high-gloss chrome-plated

Foot rest: triangular, high-gloss chrome-plated, fluid height adjustment, swivelling

Weight: 11.5 kg



Conductor's/director's chair "Comfort" with casters

Seat height:

57 - 77 cm

fluid height adjustment via pneumatic adjustment mechanism with release lever

Adjustment: fluid inclination adjustment up to 20° via knurled screw

Seat shape: F-shaped seat (standard) S-shaped seat (optional)

Seat: swivelling

Backrest adjustment: fluid adjustment of height via knurled screw, fluid adjustment of inclination via pneumatic mechanism with release lever.

Base: five-legged base with pneumatic column, brake swivel casters, high-gloss chrome-plated

Foot rest: triangular, high-gloss chrome-plated, fluid height adjustment, swivelling

Weight: 13.3 kg



You can find additional chair models under www.kolberg.com



MS4224



Desk: sturdy, lightweight aluminium plate

Sheet music surface: width x height = $50 \times 33 \text{ cm}$ Stand height:

ca. 65 - 115 cm with 60 cm insert tube ca. 70 - 135 cm with 80 cm insert tube MS4224H

Desk angle: fluid adjustment up to 180° by means of a secure friction clamping element

Insert tube: Ø 16 mm

Stand base: vertical supporting tube Ø 20 mm, basic height 70 cm

Stackable base: The proven Kolberg Stackable base allows for very compact nesting and space-saving storage of music stands.

Colour (Desk/Stand base):

black powder-coated/black powder-coated or high-gloss chrome-plated

Weight: 2.8 kg

Accessories: Sliding shelf elements 4220A for music stand desk





Stackable music stand aluminium, "Compact"

Desk: sturdy, lightweight aluminium plate

Sheet music surface: width x height = $50 \times 33 \text{ cm}$ Stand height:

approx. 46 - 90 cm

approx. 95 - 130 cm with adapter tube 4224H (e.g. for double-bass players)

Desk angle: fluid adjustment up to 180° by means of a secure friction clamping element

Insert tube: Ø 16 mm

Stand base: vertical supporting tube Ø 20 mm, basic height 47 cm

Stackable base: The proven Kolberg Stackable base allows for very compact nesting and space-saving storage of music stands.

Colour (Desk/Stand base):

black powder-coated/black powder-coated or high-gloss chrome-plated

Weight: 2.5 kg

Accessories: Sliding shelf elements 4220A for music stand desk

4244



Music stand tray, metal

Dimensions: 40 x 12 cm

Fixture: clamp-on holder, suitable for tube diameters 16 - 30 mm

Colour: black powder-coated

Weight: 0.9 kg

Thanks to its steel construction, this model is strong, break-proof and can withstand rough treatment. A layer of thick, black needle felt is glued to the contact surface.

4242







Music stand tray, wood

Dimensions: 40 x 12 cm

Fixture: clamp-on holder, suitable for tube diameters 16 - 30 mm

Colour (wooden surface/square tube):

copper beech natural/high-gloss chrome-plated or black/black powder-coated

Weight: 1.1 kg

The very sturdy tray made of multi-ply beech wood is firmly screwed to a T-shaped square tube. The contact surface is padded with thick, black needle felt.



For a surcharge, the desk tops for music stands 4224, MS4224 and MS4224H are available in all RAL

classic colours A one-off payment of 100 Euros per order is charged for your colour, no matter how many desks you order from us.

Matching transport carts, see p. 38



Flute tray, wood, large

like music stand tray 4242, but larger and with a thicker padding.

Dimensions: 60 x 15 cm Weight: 1.7 kg





We're happy to answer any questions that may arise with regard to practical use, transport, care and maintenance of our products. You can rely on our carefully prepared price quotes and planning data! Short delivery times and smooth order processing are second nature to us - even for large orders.



CONDUCTOR'S PLATFORMS



Music stand desk, wood

Desk: Multi-ply beech wood with solid wood shelf Sheet music surface: width x height = $55 \times 37 \text{ cm}$ Height (depending on the base):

ca. 65 - 110 cm with 60 cm insert tube ca. 85 - 130 cm with 80 cm insert tube 4210L

Desk angle: fluid adjustment up to 105° Insert tube: Ø 20 mm

Colour (desk/insert tube): copper beech natural/high-gloss chrome-plated or black/black chrome-plated

Weight: 2.6 kg

Recommended music stand bases: 4125, 4125S



Music stand desk, synthetic material, with double shelf

Desk: the sheet music surface and shelves are made of extremely break- and shock-proof synthetic material with wood graining structure. The double shelf with its integrated pencil groove serves as a useful storage niche. The sheet music surface remains the same (height music stand desk: 42 cm).

Sheet music surface: Width x height = $55 \times 37 \text{ cm}$ Height (depending on the base):

approx. 65 - 110 cm with 60 cm insert tube approx. 85 - 130 cm with 80 cm insert tube 4230DL

Desk angle: fluid adjustment up to 105°

Insert tube: Ø 20 mm

Colour (desk/insert tube): copper beech natural/ high-gloss chrome-plated or black/black chrome-plated

Weight: 3.2 kg

Recommended music stand bases: 4125, 4125S



You can find suiteable transport carts for our music stands on page 38



Music stand base, stackable

Ideal for all music stand desks with insert tube

Vertical tube: Ø 25 mm, basic height 70 cm Colour: high-gloss chrome-plated or black powder-coated

Weight: 1.7 kg

4125S





Music stand base, stackable heavy

A steady base for music stands with lighting, instrument or mute holders. It is also ideal for stands with telescopic insert tubes for performing when standing. Suitable for all music stand desks with insert tube Ø 20 mm.

Vertical tube: Ø 25 mm, basic height 70 cm Colour: high-gloss chrome-plated or black powder-coated Weight: 4.2 kg









Conductor's platform, wood

Dimensions: 100 x 100 cm

Platform height: 22 cm by means of four plug-in legs with level adjustment

Frame and tread surface: very sturdy frame construction of solid wood and multi-ply beech wood. The wood-core plywood tread surface is covered with hard-wearing carpeting to absorb the sound of footsteps.

Colour of carpeting: anthracite

Rail: steel tube, removable. Secure, permanently sound-free mounting.

Colour (platform/rail): common beech natural, varnished high-gloss or chrome-plated black, varnished satin frosted/black

Weight: 31 kg

Accessories: Auxiliary step for conductor's podium 3026N (recommended from a base height of 40 cm)

3026N

Additional step for conductor's podium 3026N

Step surface: approx. 97 x 25 cm Step height: 19 cm





Conductor's platform, metal

Dimensions: 100 x 100 cm

Platform height: thanks to the special design of the four solid steel plug-in legs with level adjustment, the platform can be set up at a height of 15, 30 or 38 cm.

Frame and tread surface: the sturdy wood-core plywood tread surface is mounted on a steel frame. The borders are protected by profiled angles and rounded edge covers. The tread surface is strengthened by a cross bar underneath and covered with a hard-wearing carpet to absorb the sound of footsteps. In order to prevent resonance sounds, the contact surfaces between frame and tread surface are felt-covered.

Colour: black-silver powder-coated

Colour of carpeting: dark anthracite

Rail: high-gloss chrome-plated steel tube. removable. Secure, permanently sound-free mounting. Further rail shapes upon request.

Transport: the plug-in legs and rail can be detached and securely attached to the underside of the platform for transport.

Weight: 41 kg





platform 3010 Tread surface: width x depth = $92 \times 25 \text{ cm}$,

covered with hard-wearing carpeting to absorb the sound of footsteps.

Colour of carpeting: dark anthracite

Step height: 18 cm

Weight: 7 kg

This sturdy wood-core plywood tread surface can be easily and swiftly attached. The clamps and rubber buffers ensure stability. Profiled angles and rounded edge covers protect the borders.

We also offer individually-tailored solutions adapted to the use intended and to particular local conditions



construction made of solid wood and multiply beech wood with 2 clamp-on holders for secure mounting on the podium. The wood-core plywood tread surface is covered with hard-wearing carpeting to absorb the sound of footsteps. Colour of carpeting: dark anthracite

Construction: Very sturdy

CONDUCTOR'S MUSIC STANDS

CONDUCTOR'S MUSIC STANDS



Conductor's music stand, medium, with 2 vertical supporting tubes

Music stand desk (sheet music surface) and score tray: 70 x 45 cm, multi-ply beech wood with solid wood shelves, satin finish

Music stand base: sturdy, stable frame crafted from steel tubing with four adjustable rubber buffers for level adjustment, vertical tube Ø 25 mm, basic height 55 cm

Music stand height: fluid adjustment approx. 73 - 110 cm with 60 cm insert tube approx. 86 - 130 cm with 80 cm insert tube 4512H Insert tube: Ø 20 mm, black or high-gloss chrome-plated

Desk angle: fluid adjustment

Colour (music stand desk/music stand base): copper beech natural/high-gloss chrome-plated or black/black powder-coated

Weight: 10.6 kg



Conductor's music stand, large, with 2 vertical supporting tubes

Music stand desk (sheet music surface) and score tray: 80 x 50 cm, multi-ply beech wood with solid wood shelves, satin finish

Music stand base: sturdy, stable frame crafted from steel tubing with four adjustable rubber buffers for level adjustment, vertical tube Ø 25 mm, basic height 55 cm

Music stand height: fluid adjustment approx. 73 - 110 cm with 60 cm insert tube approx. 86 - 130 cm with 80 cm insert tube 4522H

Insert tube: Ø 20 mm, black or high-gloss chrome-plated

Desk angle: fluid adjustment

Colour (music stand desk/music stand base): copper beech natural/high-gloss chrome-plated or black/black powder-coated

Weight: 11.8 kg



Conductor's music stand, small, with 1 vertical supporting tube

Music stand desk (sheet music surface) and score tray: 60 x 40 cm, multi-ply beech wood with solid wood shelves, satin finish

Music stand base: five-legged, vertical tube \emptyset 25 mm, basic height 63 cm (like music stand base 4105)

Music stand height: fluid adjustment approx. 83 - 120 cm with 60 cm insert tube approx. 97 - 140 cm with 80 cm insert tube 4501H

Insert tube: \emptyset 20 mm, black or high-gloss chrome-plated

Desk angle: fluid adjustment

Colour (music stand desk/music stand base): copper beech natural/high-gloss chrome-plated or black/black powder-coated

Weight: 8.2 kg



Conductor's music stand, medium, with 1 vertical supporting tube

Music stand desk (sheet music surface) and score tray: 70 x 45 cm, multi-ply beech wood with solid wood shelves, satin finish

Music stand base: five-legged, vertical tube Ø 25 mm, basic height 63 cm (like music stand base 4105)

Music stand height: fluid adjustment approx. 85 - 120 cm with 60 cm insert tube approx. 105 - 140 cm with 80 cm insert tube 4511H

Insert tube: Ø 20 mm, black or high-gloss chrome-plated

Desk angle: fluid adjustment

Colour (music stand desk/music stand base): copper beech natural/high-gloss chrome-plated or black/black powder-coated

Weight: 9.2 kg



Conductor's music stand, extendable, with LED lamp

Music stand desk: multi-ply beech wood with solid wood shelf, satin finish; fluid and easy extension to the left and right by means of sturdy aluminium slide hars

Sheet music surface:

Width x height = $55 - 100 \times 37 \text{ cm}$

Score tray: 55 x 38 cm, multiply beech wood with solid wood shelves, satin finish

Music stand base: five-legged, vertical tube Ø 25 mm, basic height 63 cm (corresponds to music stand base 4105)

Music stand height: fluid adjustment approx. 83 - 120 cm with 60 cm insert tube approx. 97 - 140 cm with 80 cm insert tube 4560LEDH

Insert tube: Ø 20 mm, black or high-gloss chrome-plated

Desk angle: fluid adjustment

Colour (music stand desk/music stand base): copper beech natural/high-gloss chrome-plated or black/black powder-coated

Music stand lamp (4320DLSD-230): for description please refer to the page 41

Weight: 11.5 kg

The conductor's music stand is also available without lamp



Conductor's music stand with LED Lighting "Opera"

Music stand desk: 90 x 60 cm, multi-ply beech wood, black silk-matt varnish

Sheet music surface: approx. 65 x 45 cm

Music stand base: sturdy, stable frame crafted from steel tubing, black powder-coated , with four adjustable rubber buffers for level adjustment and drillings, so that the base can be bolted onto the floor.

Music stand height: approx. 74 - 124 cm, electro-mechanic height adjustment

Desk inclination: manually fluidly adjustable up to an angle of 10°

Illuminant: LED High Power, colour temperature 3000K, fluidly dimmable from desk

Connection: directly to 230 V mains supply

Equipment: dimmer, 4 m cable, shockproof plug (CEE 7/4) and illuminants

Reversible mat: made of felt (colour black/anthracite) to cover the white sheet music surface for smaller scores

Other models on request.



Our multifunctional conductor's desks are also ideally usable as speaker's lecterns!



Kolberg has developed a high-tech conductor's desk for Moscow's Bolshoi Theatre. The result is a conductor's desk with fully digital control of podium height, desk height and desk inclination, with 5 memory positions.

Watch the video!



CONDUCTOR'S CHAIRS





3110D

Conductor's and director's chairs "Comfort"

Seat height:

58 - 84 cm with triangular foot rest 3110D 58 - 84 cm with full-circle foot rest 3110D-F1 fluid height adjustment via pneumatic mechanism with release lever

Adjustment: fluid inclination adjustment up to 20° via knurled screw

Seat shape: F-shaped seat (standard)
S-shaped seat (optional)

Seat: fixed, non-swivelling; optionally swivelling: 3110R

Backrest adjustment: fluid adjustment of height via knurled screw, fluid adjustment of angle via pneumatic mechanism with release lever

 $\label{eq:base:base:base} \textbf{Base:} \ \text{five-legged base with pneumatic spring,} \\ \text{high-gloss chrome-plated}$

Foot rest: triangular, high-gloss chrome-plated, fluid height adjustment, swivelling

Weight: 11.8 kg





3114D

Conductor's chair with platform "Comfort"

Seat height:

54 - 74 cm (from tread surface),

74 - 94 cm (from floor)

pneumatic mechanism with release lever

Adjustment: fluid inclination adjustment up to $20\ensuremath{^\circ}$ via knurled screw

Seat shape: F-shaped seat (standard)
S-shaped seat (optional)

Seat: fixed, non-swivelling, optionally swivelling: 3114DD

Backrest adjustment: fluid adjustment of height via knurled screw, fluid adjustment of inclination via pneumatic mechanism

with release lever
Frame: steel tubing design with a vertical tube for

pneumatic spring, black powder-coated

Platform height: 20 cm, other heights available on

Tread surface: width x depth ca. 50 x 30 cm, other

Weight: 15.7 kg

dimensions on request

This model enables the conductor to work in an optimum position, standing or seated. The chair is equipped with a comfort seat and pneumatic height adjustment. Seat height, seat inclination, backrest height and angle can be adapted to every individual body build and posture.



3106D

Conductor's standard chair

Seat height:

: 80 cm

Adjustment: none (fixed frame)

Seat shape: F-shaped seat (standard) S-shaped seat (optional)

Frame: steel tubing design (0 20 mm, 2 mm wall thickness) with a cross bar as foot rest; black Weight: 9 kg

You can always rely on us after your purchase. We offer competent, reliable and fast customer service, especially for durable products under significant strain.

Qualified service is the best guarantee for value retention.



TRANSPORT CARTS

LESS THAN FOR 80 DESKS

You only have extremely little storage space?

With the combination shown here, you can store 80 desks on less than one sgm, and transport them conveniently!



Transport- cart for music stands and chairs, long

Equipment: platform model made from aluminium safety plate, push-handle of steel tubing, two brake swivel casters and two fixed rollers, all with a diameter of 80 mm, with solid rubber tread (optionally, the cart can be fitted with four brake swivel casters

Exterior dimensions: length x width = $182 \times 53 \text{ cm}$ Weight: 21 kg

Variant: transport cart, short (length x width = 110 x 53 cm) 3135D, for a maximum of 12 Kolberg orchestra chairs (e.g. model 3106)

Stackable platform transport cart with edge guides for up to 18 Kolberg orchestra chairs (e.g. model 3106), or 20 Kolberg desks model MS4224, or 12 Kolberg desks model 4210 with stacking foot 4125.

The transport cart can be individually adapted to requirements and spatial conditions (e.g. lifts). Please feel free to contact us.

nsport cart package



Transport- and storage cart for music stands 4224

Dimensions (height x width x length): approx. 186 x 60 x 168 cm

Volume: 1.8 m3 with 75 desks

Colour: black-silver powder-coated Weight: 46 kg

Sturdy, compact transport- and storage cart made of aluminium, with three levels for up to 75 stackable desks, model 4224. With a base area of less than one sqm, this is a very space-saving option for the storage and transport of desks! The transport cart can be individually adapted to requirements and spatial conditions (e.g. lifts). A flight case can be delivered for travel. A variant with two levels is also possible (height including desks ca. 120 cm). Two brake swivel castors and two fixed castors enable a smooth run and secure braking of the transport cart. The transport- and storage cart is also available with four brake swivel castors on request.



Hand truck for chairs

2-wheel hand truck with solid rubber tyres. Welded steel tubing structure for a maximum of 8 Kolberg orchestra chairs (depending on model). The height of the carrying arms can be adjusted to suit the model of chair being transported.

Colour: black powder-coated Weight: 16.5 kg





MS4220R-50

Music stand, aluminium, travelling model

Desk: light, sturdy aluminium plate with sliding quick lock

Sheet music surface: (width x height): 50 x 33 cm

Desk angle: fluid adjustment up to 180° by means of a secure friction clamping element

Stand height: approx. 55 - 112 cm

Stand base: steel/high gloss chromed, collapsible Colour (music stand desk): black powder-coated Weight: 3.1 kg

Desk tops are available in all RAL classic colours for a surcharge.







Flight cases for music stands MS4220

Sturdy, stackable flight cases with an interior designed to accommodate up to 20 dismantled travelling music stands (music stand desk 4220R-50 and music stand base 4136, travelling model). If the cases have to be carried, we recommend loading no more than 15 music

4220FCR

Flight case with casters

Dimensions (height x width x depth): 60 x 75 x 50 cm

Weight, empty: 24 kg

Weight with 15 music stands: 72.5 kg Weight with 20 music stands: 88 kg





Dimensions (height x width x depth): 52 x 75 x 50 cm

Weight, empty: 20.5 kg

Weight with 15 music stands: 68.5 kg Weight with 20 music stands 84.5 kg

Packed size for 80 desks in 4 flight cases: 2 x flight cases with casters 4220FCR + 2 x flight cases without casters 4220FC

Dimensions (height x width x depth): approx. 110 x 75 x 95 cm

Volume: 0.8 m³

In order to save space, we recommend taking two cases with, and two cases without casters In this way, you obtain a convenient stacking combination





Transport cart with anti-tilt protection for music stands

like transport cart 3135, but with additional anti-tilt protection for music stands. Exterior dimensions: length x width= 187 x 58 cm

Weight: 27 kg Accessories: anti-theft device for music stands 3135DP

The platform of the cart features two clamps which can be swiftly and easily slipped over the bases of the music stands to protect them against tilting over during transport. We recommend this model if long, uneven stretches have to be negotiated when transporting the music stands.

Anti-theft device for stacked chairs upon request.





LIGHTS



4310AH

LED music stand lamp "Bright"

The LED music stand lamp "Bright" (4310AH) is convincing with a sturdy construction and reaches high brightness thanks to its 10 LEDs with up to 280 lux. Three AA batteries provide energy for the lamp for up to 15 hours.

- neutral white light with high contrast
- 10 bright and efficient LEDs, switchable to 2 brightness levels
- flexible adjustment thanks to two 22 cm long swan-necks
- suitable for battery- and mains operation
- incl. power adapter, bag, batteries (3 x 1.5 V AA)



4320HF

Grand piano / harpsichord lamp holder

Can hold all Kolberg lamp models. The lamp holder can simply be mounted on the instrument stand without leaving a single mark on the valuable brilliant varnish!

This is guaranteed by the innovative design, in which both adjustable screws press on a spring plate holding the holder fast. The inner side is felt-covered.



4320DLSD-230

Conductor's music stand twin lamp, LED 230V

Operational voltage: from 14 V DC to 19 V DC and from 22 V AC to 28 V AC

Power consumption: 15 W at full brightness Level of illumination: maximum 1.400 Lux at a distance of 35 cm

Colour temperature: 3.000 K

Energy efficiency class: A+ (15 kWh per 1.000 h)

Dynamic scope when dimming: > 1:30000


The conductor's music stand lamp can be easily adjusted to every desired position thanks to the two tilting joints of its main arm, even when large music scores are placed on the desk.



In order to be able to offer you a choice of the best lamps, Kolberg Germany has exhaustively tested all relevant LED musician's lamps within the price range of under 70 Euros. In doing so, testing was carried out both technically, by our electrical engineer, and in terms of practical suitability, by experienced musicians.

The desk lamp 4310AH emerged as our favourite amongst a great number of test candidates.

LED DESK LAMP FOR PROFESSIONAL ILLUMINATION IN THE ORCHESTRA PIT





LED music stand lamp 4320DLS

Our LED desk lamp 4320DLS was especially developed for the optimal illumination of music desks. Both slim and sturdy, the lamp powder-coated housing made of tubular steel ensures longevity under tough orchestra conditions.

From a technical point of view, the lamp impresses with numerous different operating modes Phase-controlled, with local brightness regulator, digitally per DMX-RDM, or via radio signal. The lamp can be powered by AC voltage, DC voltage, mains adapter, main transformer or by mobile power pack.

Find out more at: www.kolberg.com





LACK OF LIGHT?

Illumination for keyboard instruments is often suboptimal in the orchestra pit. Problems usually start to appear when mounting the lamp to the instrument, because the different designs of the instruments do not allow for a standardised mount to be used. Unsatisfactory solutions that do not live up to the requirements of the orchestra pit are often implemented out of necessity.

NO MORE COMPROMISES

With the LED free-standing lamp Stoccarda, you no longer have to accept any compromises. It illuminates both keyboard and score perfectly.

- suitable for all keyboard instruments, as its height and depth are also adjustable
- flat foot for instruments with limited ground clearance, such as celesta and keyboard chimes
- collapsible for transport or storage
- sturdy design for everyday orchestra use
- unobtrusive design
- available with wheels on demand and for a surcharge (Item no. 4311DLSR)
- perfect LED light with very high lighting quality (CRI 95)
- dimmable via phase control (24 volt AC, 230 volt AC with power supply 4315DLSNTK)
- dimmable via DC voltage
- \bullet can be dimmed locally, in addition to central dimming
- fully compatible with the Kolberg LED programme (e. g. power pack and supplementary modules)

VERSATILE

The easy handling and unobtrusive design of the LED free-standing lamp Stoccarda enables versatile use of the lamp in the orchestra pit. The illumination of the music desks for percussion instruments, for example, is often inadequate in terms of illuminating drumsticks, small instruments or the timpani tuning scale. This is no longer a problem with the LED free-standing lamp Stoccarda. The free-standing lamp provides light where it is needed.





DEVELOPMENT

"After successfully converting the orchestra lighting to modern LED lamps, it was clear that the workarounds illuminating the keyboard instruments also had to finally be replaced by a professional solution. After years of positive experience with Kolberg's orchestra illumination,

the obvious choice was to develop the perfect solution together. The requirements were a large adjustment range for the desk in use with all keyboard instruments, flexible adaptability of the illuminants, as well as a low level of stray light while offering broad illumination of score and keyboard. Not least, the lamp had to be dimmable in conjunction with the LED music desk lamps, without additional technology.

Actually, the final product that Kolberg presented to us even surpassed our expectations. The illumination of the keyboard is perfect, and even large scores are optimally illuminated.

Due to the great flexibility, we are now finally in a position to master other challenges with regard to lighting the orchestra pit. Due to its compatibility with the existing technology, the lamp was immediately operational. We currently deploy three free-standing lamps in the orchestra pit."

Thomas Bäurle, Managing Director of the Staatsorchester Stuttgart

"THE FREE-STANDING LAMP BY KOLBERG HAS EVEN SURPASSED OUR EXPECTATIONS!"

CURIOUS?

We'd be happy to send you an sample without obligation. Please provide the following information in case of an enquiry:

- Which supply voltage is available in the orchestra pit?
- Which plug connection is in use?
- Is the lamp also intended for use at 230 volt?

Measurements (L x B x H in cm)	minimum: 115 x 64 x 95 maximum: 140 x 64 x 160 from 14 V DC to 19 V DC and from 22 V AC to 28 V AC			
Operating voltage				
Power consumption	15 W at full brightness			
Lighting intensity	maximum of 1400 Lux at a distance of 35 cm			
Colour temperature	3000 K			
CRI-value	95			
Lighting duration in battery mode	min. 10 h of illumination with our 100 Wh Li-lon power pack			
Connection plug	5-pole XLR black			
Energy efficiency class	A+ (15 kWh per 1000 h)			







ACCORDING TO ALL THE RULES!

For Kolberg a matter of course! Our lamp complies with all legal requirements, including for electromagnetic tolerance. Just to be on the safe side, our products are tested by an independent test lab for interference emission according to DIN EN 55015 and DIN 61000-6-3 (limit class B, living area), as well as for interference resistance according to DIN 61000-6-2 (deployment in industrial environments). The future is also insured. We take the legal requirements regarding the disposal and recycling of electrical appliances into consideration and are registered with the Foundation for Electronic Waste (Elektro-Altgeräte Register, EAR). Sustainability and ecological responsibility – we take on this challenge!















BOUT US IN THE PRESS

SOCIETY

Setting the tone from Uhingen

Kolberg Percussion equips opera houses worldwide

Milan's Scala, Bolshoi Theatre Moscow, Semper Opera House Dresden, or the Sidney Opera they are all linked by one thing with Uhingen in the district of Göppingen, namely percussion instruments and orchestra equipment by Kolberg. The products and custom-made designs by the family business from the Fils Valley are part of "good tone" for the most celebrated musicians and conductors.

In its showrooms measuring some chimes or whistles: kettle drums with gleaming copper kettles, huge drums, gongs with a diameter of up to one and a half sitor is itching to just start drum-


Percussion instruments have been developed and produced in percussionist from childhood. the other", Klaus Kolberg says. ly on the lookout for qualified That's why he enrolled at the This becomes apparent during specialists", Klaus Kolberg says.

ous symphony orchestras. "The of the Swabian tinkerer, Bernhard ming here or there. "Just have Kolberg remembered his techni-Kolberg encourages the visitor. how to meet his musical requireideas and improvements, whether it's about drumsticks or drum Kolberg initially completed trai- orchestra chairs. "We can bridge ning to become a mechanical the gap between the traditional

They offer a lot for the eardruam: Klaus (left) und Bernhard Kolberg. shows all that rattles, clatters, nical training and played in varipostwar years, however, were a marimbaphone in the joinery, characterised by shortages, there a laser cutter is cutting comwere hardly any useful accessories ponents for orchestra chairs in for percussionists", Klaus Kol- the metalworks. Drumsticks are rattles, bells, glass bottles. The viberg relates. In the best tradition covered in felt in the sewing workshop, while glare-free LED lamps for music desks are asa go", junior-manager Klaus cal know-how and reflected on sembled next door. "We have ments. To this day, the venerable development of this lamp, but it boss constantly pores over new is full of innovations as a result", the head of the company explains. Fine tuning of the instru-Company founder Bernhard mechanics, instrument mounts or ments takes place at the in-house loyees - most of them play an engineering technician, but had craft businesses on the one hand, instrument themselves - work at been a passionate musician and and the technology company on the company. "We are constant-

The Uhingen Company delivers not just percussion instruments, such as the tin drum used in the eponymous film by Volker Schlöndorff, which was awarded an Oscar, but it is also one of the leading manufacturers of orchestra equipment. "Our showpiece is a conductor's desk for the Bolshoi Theatre in Moscow", Klaus Kolberg reveals. The hightech contraption was developed especially for that theatre and can be electronically adjusted in all directions. The unique feature: up to five conductors can save their individual configuration.







Before the drumstick comes the hammer. Copper processing in production

'If a worldwide soundscape existed, its navel would be located in Uhingen. because instruments travel from here to all notable symphony orchestras around the globe, from Auckland to Zurich. Kolberg Percussion GmbH is amongst the premier providers of percussion instruments and orchestra equipment. Most of the things that thunder, pulsate, clap or rattle in the great musical masterpieces come from this manufactory. These instruments sound not only in the pit, but also on the radio and in film scores.'

> Angelika Stehle "wertsicht"- magazine 1-2015



'Music aficionados don't like to buy from a catalogue. That's why many discerning musicians, composers, conductors and directors come directly to Uhingen in order to listen to the instruments live, and to test the chairs, music desks and conductor's podiums for orchestra equipment themselves. Company founder Bernhard Kolberg himself has sat in prestigious orchestra pits and knows many famous contemporary musicians personally. His son Klaus, who co-manages the business, grew up between timpanis and scores, and plays the piano and percussion. His sister Jasmin has made a name for herself as a gifted marimbist and represents the business


Angelika Stehle



"During his years of learning and wandering, the company founder did not just train to become a mechanical engineering technician. He subsequently studied percussion at the Stuttgart conservatory and commenced an apprenticeship with the Zurich master craftsman for drums Eugen Giannini. During his studies, he already invented an arrangement of stands for percussion instruments and accessories that is unique to this day and that works according to a modular design.

Angelika Stehle "wertsicht" - magazine 1-2015







www.kolberg.com/395.html



ORDERING CONVENIENTLY





Ms. Rilli and Ms. Böhm will gladly accept your order.

SHORT DELIVERY TIMES
AS THE PRODUCTS ARE MANUFACTURED
AND STORED IN OUR OWN FACTORY

HERE IS HOW YOU CAN ORDER FROM US:

- by phone under +49 (0) 7161 3005-0
- by E-Mail to info@kolberg.com
- on site at Uhingen (please arrange an appointment, as we do not operate a retail outlet)

Our business hours are: Monday - Thursday: 8 am - 4 pm Friday: 8 am - 2 pm

Fair prices / direct sales

Nowadays, many manufacturers advertise with incredible discounts. However the starting price is not mentioned anywhere or is fictitious, ultimately nobody knows whether they have actually received a discount or not. With us, there is only one price for all customers worldwide, and this can be found on our website. You can trust our price-performance ratio: due to their long service life, the high-quality Kolberg products are ultimately always the cheaper alternative!

From the very beginning, we have focussed on direct sales from professional to professional. This offers our customers the advantage of remaining in direct contact with us as the manufacturer. Repeat orders or accessories can be supplied without any problems even years later.

Shipping and payment

Within Germany we usually ship the goods on account, to all other countries against prepayment. Our immediately available products are dispatched the next working day at the latest and in Germany are usually delivered the following working day. Of course, we can also send express deliveries. Our service partner UPS delivers our parcels quickly and reliably. Some of our products are customised or made to order. Due to our production in the Uhingen factory our experience, delivery times are very short. We will be happy to provide you a non-binding offer in which you can also find out the delivery time for the desired product.

Right of exchange

In principle, the statutory provisions apply at the time of ordering: For consumers, this is currently a 14-day right of cancellation. There is no right of exchange for institutions and commercial customers. However, we want satisfied customers. If you are ever dissatisfied with your Kolberg product, please get in touch with us, we will take care of your matter.

Warranty and Kolberg goodwill

If you ever notice a defect in your Kolberg product, give us a call: We know our products very well and can therefore determine whether, for example, there is a material defect that prevents proper use. In this case, the Kolberg goodwill. We grant this over and above the two-year statutory warranty obligation. Get in touch with us, we will take care of your case! As we manufacture our products ourselves, we usually have all spare parts in stock and can usually deliver them at short notice even after many years.

We reserve the right to change models without prior notice. Also in case of We cannot accept any liability for printing errors.

Product illustrations may differ from the original, possible colour deviations are are due to printing.

You can find current prices at www.kolberg.com



YOUR NOTES


	 	 	 •
•••••	 	 	
	 	 	 •
	 	 	 •
	 	 	 •••••



KOLBERG GERMANY REFERENCES

Because of space reasons, we have only printed an excerpt of our references. You can find a detailed list on our homepage.

ARGENTINA Buenos Aires Philharmonic Orchestra /Teatro Colón, Buenos Aires AUSTRALIA Melbourne Symphony Orchestra, Melbourne · Orchestra Victoria, Melbourne · Australian Opera and Ballet Orchestra, Sydney · Sydney Opera House, Sydney · Sydney Symphony Orchestra, Sydney AUSTRIA Salzburger Festspiele, Salzburg · Klangforum Wien, Wien ORF Radio-Symphonieorchester Wien, Wien Volksoper Wien, Wien Wiener Konzerthaus, Wien Wiener Philharmoniker, Wien Wiener Staatsoper, Wien Wiener Symphoniker, Wien BELGIUM De Vlaamse Opera, Antwerpen/Gent · Royal Flemish Philharmonic Orchestra, Antwerpen/Gent · Brussels Philharmonic, Bruxelles · Orchestre National de Belgique, Bruxelles · Théâtre Royal de la Monnaie, Bruxelles BRAZIL São Paulo State Symphony Orchestra, São Paulo BULGARIA Sofia National Opera and Ballet, Sofia National Opera and Philharmonic Varna, Varna CHINA Beijing Symphony Orchestra, Beijing Hong Kong Philharmonic Orchestra, Hong Kong Opera Hong Kong, Hong Kong · Shanghai Symphony Orchestra, Shanghai CUBA Orquesta Sinfónica Nacional de Cuba, La Habana CZECH REPUBLIC Czech Philharmonic Orchestra, Prague · National Theatre, Prague · Prague · Prague Radio Symphony Orchestra, Prague · Prague · Prague · Prague · Prague · Prague DENMARK Danish National Radio Symphony Orchestra, Copenhagen · Royal Danish Theatre, Copenhagen ESTONIA Estonian National Symphony Orchestra, Tallinn FINLAND Finnish National Opera, Helsinki · Finnish Radio Symphony Orchestra, Helsinki · Helsinki · Helsinki · Helsinki · Helsinki · Lahti Symphony Orchestra, Lahti · Tampere Philharmonic Orchestra, Tampere FRANCE Opéra National de Bordeaux, Bordeaux Opéra de Lyon, Lyon Orchestre National de Lyon, Lyon Ensemble Intercontemporain, Paris Opéra National de Paris Garnier & Bastille, Paris · Orchestre de Paris / Salle Pleyel, Paris · Orchestres National et Philharmonique de Radio France, Paris · Orchestre Philharmonique de Strasbourg / Opéra National du Rhin, Strasbourg GERMANY Festspielhaus Baden-Baden, Baden-Baden · Bayreuther Festspiele, Bayreuth · Berliner Philharmoniker, Berlin · Deutsche Oper Berlin, Berlin · Deutsches Theater Berlin, Berlin · Komische Oper Berlin, Berlin · Konzerthausorchester Berlin, Berlin · Staatsoper Unter den Linden, Berlin · Bochumer Symphoniker, Bochum · Konzerthaus Dortmund/Dortmunder Philharmoniker, Dortmund · Dresdner Philharmonie, Dresden · Sächsische Staatsoper Dresden / Semperoper, Dresden · Düsseldorfer Symphoniker / Tonhalle Düsseldorf, Düsseldorf · Deutsche Oper am Rhein, Düsseldorf / Duisburg · Alte Oper Frankfurt, Frankfurt am Main · Ensemble Modern, Frankfurt am Main · Hamburger Symphoniker e.V., Hamburg · Hamburgische Staatsoper/Philharmonisches Staatsorchester, Hamburg · Gürzenich Orchester Köln / Kölner Philharmonie, Köln









· Gewandhausorchester, Leipzig · Oper Leipzig, Leipzig · Bayerische Staatsoper, München · Münchner Philharmoniker, München · Staatstheater am Gärtnerplatz, München · Staatstheater Stuttgart, Stuttgart · Stuttgarter Philharmoniker, Stuttgart · Alle Rundfunkanstalten \cdot Bundeswehr, alle Musikkorps GREECE Athens State Orchestra, Athens \cdot Greek National Opera, Athens · Opera of Thessaloniki, Thessaloniki HUNGARY Budapest Symphony Orchestra, Budapest · Hungarian National Philharmonic, Budapest · Hungarian State Opera House, Budapest ICELAND Iceland Symphony Orchestra and Iceland Opera, Reykjavik IRELAND Opera Ireland, Dublin · RTE National Symphony Orchestra, Dublin ISRAEL The Haifa Symphony Orchestra, Haifa · Jerusalem Symphony Orchestra, Jerusalem · Israel Chamber Orchestra, Tel Aviv · Israel Philharmonic Orchestra. Tel Aviv ITALY Orchestra Sinfonica di Milano Giuseppe Verdi, Milano · Teatro alla Scala, Milano · Orchestra Sinfonica di Roma della RAI, Roma · Teatro dell'Opera di Roma, Roma · Teatro La Fenice, Venezia · Arena di Verona, Verona JAPAN New National Theatre Tokyo, Tokyo · Tokyo Symphony Orchestra, Tokyo KOREA Korean Symphony Orchestra, Seoul · Seoul Philharmonic Orchestra, Seoul KROATIA Zagreb Philharmonic Orchestra, Zagreb LATVIA Riga Professional Symphonic Band, Riga · State Chamber Orchestra Sinfonietta Riga, Riga LUXEMBOURG Orchestre Philharmonique du Luxembourg, Luxembourg MEXICO Orquesta Filarmónica de la Ciudad de México, Mexico-City MONACO Opéra de Monte-Carlo, Monte-Carlo Orchestre Philharmonique de Monte-Carlo, Monte-Carlo NETHERLANDS De Nederlandse Opera, Amsterdam · Nederlands Philharmonisch Orkest, Amsterdam · Royal Concertgebouw Orchestra, Amsterdam · Residentie Orkest, Den Haag · Netherlands Radio Philharmonic Orchestra, Hilversum · Rotterdams Philharmonisch Orkest, Rotterdam · Auckland Philharmonia Orchestra, Auckland · New Zealand Symphony Orchestra, Wellington NORWAY Bergen Filharmoniske Orkester, Bergen · Vest Norges Opera, Bergen · Den Norske Opera og Ballet, Oslo · Oslo Filharmonien, Oslo POLAND Polish National Radio Symphony Orchestra, Katowice · Oskar Kolberg Philharmonic Orchestra, Kielce · Kraków Opera, Kraków · Arthur Rubinstein Łód Philharmonic Orchestra, Łód Polish National Opera, Warszawa Warsaw Philharmonic Symphony

Orchestra, Warszawa PORTUGA Gulbenkian Orchestra, Lisboa · Metropolitan Orchestra, Lisboa · National Theatre São Carlos, Lisboa QATAR Qatar Philharmonic Orchestra, Doha ROMANIA National Radio Orchestra, Bucharest ROYAUME DU MAROC Orchestre Philharmonique Royal, Rabat RUSSIA Moscow Philharmonic Orchestra, Moscow · The Bolshoi Theatre, Moscow · The National Philharmonic of Russia, Moscow · Mariinsky Theatre, Saint Petersburg SAN MARINO Orchestra Sinfonica della Repubblica di San Marino, Borgo Maggiore SINGAPORE Singapore Symphony Orchestra, Singapore · The Esplanade, Singapore SLOVAKIA Slovak National Theatre, Bratislava · Slovak Radio Symphony Orchestra, Bratislava · RTV Slovenia Symphony Orchestra, Ljubljana · Slovenian National Theatre, Ljubljana · Slovenska Filharmonija, Ljubljana SOUTH AFRICA Kwazulu Natal Philharmonic Orchestra, Durban · Johannesburg Philharmonic Orchestra, Johannesburg SPAIN Gran Teatre del Liceu, Barcelona · Orquestra Simfónica de Barcelona, Barcelona · Orquesta Sinfónica de Madrid · Orquesta Sinfónica de Radiotelevisión Española, Madrid · Teatro Real, Madrid · Auditorio de Tenerife/Orquesta Sinfónica de Tenerife, Santa Cruz de Tenerife · Teatro de la Maestranza, Sevilla SULTANATE OF OMAN Royal Opera House Muscat, Bareeq al-Shatti, Royal Oman Symphony Orchestra, Muscat SWEDEN Göteborgs Operan, Göteborg · Göteborg · Symfoniker, Göteborg · Malmö Symfoniorkester / Konserthuset, Malmö · Royal Opera, Stockholm · Sveriges Radios Symfoniorkester, Stockholm SWITZERLAND Casino-Gesellschaft Basel, Basel Sinfonieorchester Basel / Theater Basel, Basel Orchestre de la Suisse Romande, Genève Luzerner Sinfonieorchester / KKL Luzern, Luzern · Opernhaus Zürich, Zürich · Tonhalle Orchester Zürich, Zürich TAIWAN National Symphony Orchestra, Taipei TURKEY Ankara State Opera, Ankara · Istanbul State Opera, Istanbul · Istanbul State Symphony Orchestra, Istanbul UNITED ARAB EMIRATES Philharmonic Orchestra, Dubai UNITED KINGDOM all BBC symphony orchestras UK Cardiff, Glasgow, London, Manchester Royal Scottish National Orchestra, Glasgow London Philharmonic Orchestra, London London Symphony Orchestra, London · Royal Opera House, London · Royal Philharmonic Orchestra, London USA Boston Symphony Orchestra, Boston · Chicago Symphony Orchestra and Lyric Opera of Chicago, Chicago The Cleveland Orchestra, Cleveland Los Angeles Philharmonic Orchestra, Los Angeles Metropolitan Opera, New York New York Philharmonic Orchestra, New York · Pittsburgh Symphony Orchestra, Pittsburgh · San Francisco Symphony Orchestra, San Francisco



















Last upgrade: March 202

www.youtube.com/kolbergpercussion